



# Rolling grilles EXTRUDED



**OCO Oesterheld GmbH**

**Rolling grilles**  
**Folding grilles**  
**Spring shafts**  
**Rolling shutters**





Always up to date  
as a member of  
BVT


# Rolling grilles EXTRUDED

Also suitable with low lintel heights


Standart grilles in powder-coated aluminium (up to 9.000 mm)  
or in anodised aluminium (up to 7.100 mm)




**OCO-A-80**  
uniform



**OCO-A-80**  
alternated



**OCO-A-125**  
uniform



**OCO-A-125**  
alternated

Standard design  
according to  
current standard  
(DIN EN)

**Sturdy & reliable**

**Available with electric drive or manual spring shaft operation**

## OCO-A-80 + OCO-A-125

### As window rolling grill:

- ▶ **OCO-A-80** fits in smaller casings due to the small winding shaft of SW 70
- ▶ with a clear guide rail width of 16 mm

### But also for other purposes:

- ▶ doors, shop windows, underground car parks...
- ▶ in private or commercial buildings

### Design variants

- ▶ uniform punch-outs
- ▶ alternated punch-outs
- ▶ without punch-outs



Profile	A-80	A-125
Punch-out	80 x 32 mm	125 x 60 mm
Weight (kg/m <sup>2</sup> ) without punch-out	11	11
Weight (kg/m <sup>2</sup> ) with punch-out	9	8
Max. width* powder-coated anodised	up to 9 m up to 7,1 m	up to 9 m up to 7,1 m
clear guide rail width	min. 16 mm	min. 16 mm

### Hidden joints:

- ▶ minimum contamination and icing
- ▶ can therefore be used as indoor and **outdoor** rollers

Finished curtain height in m	Ballendurchmesser in mm							
	Tube MW 70		Tube MW 114		Tube Ø 108		Tube Ø133	
	Profile A-80	Profile A-80	Profile A-125	Profile A-80	Profile A-125	Profile A-80	Profile A-125	
1,50	190	210	225	200	215	215	235	
1,75	205	220	230	210	235	220	240	
2,00	205	230	250	220	245	230	255	
2,25	215	230	260	230	250	245	270	
2,50	225	250	275	250	260	245	285	
2,75	230	255	275	250	265	260	290	
3,00	240	260	285	255	270	265	290	
3,25	245	270	285	265	280	275	305	
3,50	265	270	295	275	295	280	310	
3,75	265	280	295	280	295	285	310	





**Rolling grilles  
Folding grilles  
Spring shafts  
Rolling shutters**

Glockenstahlstraße 8 · 42855 Remscheid  
Telephone +49 (0) 2191 9050 · Fax +49 (0) 2191 90518  
info@occoesterheld.de · [www.occoesterheld.de](http://www.occoesterheld.de)

Your specialist